

Data sheet

BFD SK12



GENERAL

Art. no.: L-AUS-0089-1,5

E-class number: 40-02-01-04

EAN: 4030281162315

Customs no.: 56090000

Data sheet

BFD SK12

The Kernmantle rope single leg BFD Personal Energy Absorbing range are all designed to effectively arrest a fall whilst minimising the shock loads on the body. The 'Tear Tape' technology shock pack utilises a controlled tearing action that is initiated when the lanyard is 'loaded' during the fall and limits the fall arrest forces to below 6kN. The shock pack features a unique Velcro attach cover that provide a 100% inspection as well as the potential to clean & dry the pack contents if necessary. The cover is also designed to protect the label pack, conveniently sewn into the tear tape material.

GENERAL

Internat. standard:	AS/NZS 1891.1:2007
---------------------	--------------------

FEATURES

Diameter:	12 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from -35 °C to +45 °C
Suspension element:	Coated core rope 12mm

DIMENSIONS

Size:	1,5m
Weight:	1,07 kg

HARDWARE

On the lanyard ends:	SNAP HOOK 23kN
On the shock pack:	SNAP HOOK 23kN

MATERIAL

Material:	Polyamide, Steel
-----------	------------------

Webbing material:	Polyamide
-------------------	-----------

Rope material:	Polyamide
----------------	-----------