

Data sheet

BFD SK12



GENERAL

Art. no.:	L-AUS-0089-2	E-class number:	40-02-01-04
EAN:	4030281162322	Customs no.:	56090000



Data sheet

BFD SK12

The Kernmantle rope single leg BFD Personal Energy Absorbing range are all designed to effectively arrest a fall whilst minimising the shock loads on the body. The 'Tear Tape' technology shock pack utilises a contolled tearing action that is initiated when the lanyard is 'loaded' during the fall and limits the fall arrest forces to below 6kN. The shock pack features a unique Velcro attach cover that provide a 100% inspection as well as the potential to clean & dry the pack contents if necessary. The cover is also designed to protect the label pack, conveniently sewn into the tear tape material.

GENERAL

Internat. standard: AS/NZS 1891.1:2007

FEATURES

Diameter: 12 mm

Hand-washing: 40 °C

Max. service life: 10 Years

Max. number of persons: 1

Temperature:
from -35 °C to +45 °C

Suspension element: Coated core rope 12mm

DIMENSIONS

 Size:
 2m

 Weight:
 1,11 kg

HARDWARE

On the lanyard ends: SNAP HOOK 23kN
On the shock pack: SNAP HOOK 23kN



MATERIAL

Material:	Polyamide, Steel
Webbing material:	Polyamide
Rope material:	Polyamide